26

27 28 29

30

///

Amendment to the Claims

In the Claims:

Please amend Claims 1, 10, 19, 25, 31, 35, 36, and 37 as follows:

- (Currently Amended) A method for providing a Web view page in a dialog box of an application program, comprising the steps of:
- (a) in the application program, providing a dialog box object that communicates with a browser module; and
- (b) displaying the Web view page in the dialog box of the application program, wherein the Web view page integrates a browser capability into the application program to enable a user to produce customized functions and displays for file management of one or more files in a directory structure within the dialog box of the application program, without having to enable access to one of a different application program and a browser program.
- (Original) The method of Claim 1, wherein the dialog box is displayable in a plurality of formats, one of which comprises the Web view page, further comprising the steps of:
- (a) enabling a user to select a desired format from among the plurality of formats for displaying the dialog box; and
- (b) in response thereto, displaying the dialog box of the application program in the desired format selected by the user.
- (Original) The method of Claim 1, wherein the Web view page enables a user to selectively initiate one of an application program specific function and a browser specific function by making a selection in the dialog box.
- (Original) The method of Claim 3, further comprising the step of executing a separate browser program to display content in response to the user selecting a browser specific function related to the content.
- (Original) The method of Claim 3, wherein selection of an application program specific function by a user causes a file management function to be performed.

30

- 6. (Original) The method of Claim 1, further comprising the steps of:
 - (a) detecting an element in the Web view page selected by a user;
- (b) processing the element with the browser module if the element relates to a browser function; and otherwise.
 - (c) processing the element with the application program.
 - 7. (Original) The method of Claim 6, wherein a browser function includes one of:
- (a) requesting a new Web view page with information sorted as a function of the element selected by the user;
- (b) requesting a new Web view page with information filtered as a function of the element selected by the user; and
- (c) displaying a Web page in a separate browser program as a function of the element selected by the user.
- (Original) The method of Claim I, further comprising the step of enabling the user to define the Web view page using a hypertext markup language file.
- (Original) The method of Claim 1, further comprising the step of generating a new Web view page based on an element in the Web view page that is selected by a user.
- 10. (Currently Amended) A method for providing a Web view page in an application program dialog box, comprising the steps of:
- (a) determining whether a computing resource supports a Web view page in the application program dialog box, wherein the Web view page integrates a browser capability into the application program to enable a user to produce customized functions and displays for file management of one or more files in a directory structure within the dialog box of the application program, without having to enable access to one of a different application program and a browser program; and if so,
- (b) accessing a browser module with the application program, to enable browser functions from within the application dialog box; and if not,
 - $(c) \qquad \text{enabling only non-browser functions within the application dialog box}.$
- 11. (Original) The method of Claim 10, wherein the step of determining, comprises the step of verifying that the computing resource is able to generate a Web view page of information usable in the application program dialog box.

> 19 20 21

22 23 24

25 26 27

28 ///

- 12. (Original) The method of Claim 11, wherein the step of verifying, comprises the step of confirming that the computing resource recognizes an application program function attribute in a request to the computing resource to generate a Web view page.
- 13. (Original) The method of Claim 10, wherein the step of accessing, comprises the step of loading the browser module into a memory space reserved to the application program.
- 14. (Original) The method of Claim 10, further comprising the step of displaying a Web view page within the application program dialog box, wherein the displayed Web view page includes information material to the application program dialog box.
 - 15. (Original) The method of Claim 14, further comprising the steps of:
- (a) enabling a user to select an element of the Web view page displayed within the application program dialog box; and
- (b) determining that an element selected by the user corresponds to a function of the application program.
- 16. (Original) The method of Claim 15, further comprising the step of executing the function of the application program.
 - 17. (Original) The method of Claim 14, further comprising the steps of:
- (a) enabling a user to select an element of the Web view page displayed within the application program dialog box; and
- (b) determining that an element selected by the user corresponds to a function of the browser module.
- 18. (Original) The method of Claim 17, further comprising the step of displaying a different Web view page of information within the application program dialog box as a function of the element selected by the user.

27 28 29

30

///

- 19. (Currently Amended) A method for accessing a computer file stored on a computing resource from an application program dialog box of an application program comprising the steps of:
 - (a) opening the application program dialog box with the application program;
 - (b) requesting a Web view page from the computing resource; and
- (c) displaying the Web view page within the application program dialog box, wherein the Web view page integrates a browser capability into the application program to enable a user to produce customized functions and displays for file management of one or more files in a directory structure within the dialog box of the application program, without having to enable access to one of a different application program and a browser program.
- 20. (Original) The method of Claim 19, wherein the step of requesting a Web view page, comprises the step of sending a request to a URL address for a Web view page related to the URL and the application program.
- 21. (Original) The method of Claim 19, wherein the step of displaying the Web view page within the application program dialog box, comprises the step of rendering the Web view page with a browser module.
 - 22. (Original) The method of Claim 19, further comprising the steps of:
- (a) enabling a user to access the computer file by selecting an element of the Web view page displayed within the application program dialog box; and
- (b) requesting access to the computer file from the computing resource, based on the element of the Web view page that was selected.
- 23. (Original) The method of Claim 22, further comprising the step of initiating a function of the application program that affects the computer file, based on the element of the Web view page that was selected.

-6-

24. (Original) The method of Claim 23, wherein the function of the application program is

2

- 27. (Original) The method of Claim 25, wherein the step of enabling a user to select an element of the Web view page upon which an application program function is to be implemented, comprises the steps of:
- (a) employing the browser module to detect that the user selected an element of the Web view page;
- (b) the browser module determining that the browser module need not initiate a browser function related to the element that was selected; and
- (c) acting on the element selected in the Web view page with the application program.
 - 28. (Original) The method of Claim 27, wherein the browser module communicates information about the element that was selected to the application program.
 - 29. (Original) The method of Claim 27, wherein the application program obtains information about the element that was selected from an operating system under which the application program is running.
 - 30. (Original) The method of Claim 25, wherein the step of executing the application program function with the application program comprises the steps of:
 - (a) determining that the selected element of the Web view page represents a request to initiate an application program function; and
 - (b) initiating execution of the program function with the application program.
 - 31. (Currently Amended) A method for performing a browser function within a dialog box of an application program, comprising the steps of:
 - (a) enabling a user to selectively activate display of a Web view page within the dialog box of the application program, wherein the Web view page integrates a browser capability into the application program to enable a user to produce customized functions and displays for file management of one or more files in a directory structure within the dialog box of the application program, without having to enable access to one of a different application program and a browser program;
 - (b) enabling a user to select an element of the Web view page upon which a browser function is to be implemented, to initiate execution of said function; and
 - (c) executing the browser function with the browser module.

-7-

27

28

22

29 ///

- 32. (Original) The method of Claim 31, wherein the step of enabling a user to selectively activate display of a Web view page comprises the steps of:
- (a) accessing a Web view page in response to a user selecting a conventional dialog box element within the dialog box of the application program;
 - (b) accessing the browser module with the application program; and
 - (c) displaying the Web view page within the dialog box.
- 33. (Original) The method of Claim 31, wherein the step of enabling a user to select an element of the Web view page upon which a browser function is to be implemented comprises the steps of:
- (a) using the browser module, detecting that the user selected an element of the Web view page; and
- (b) using the browser module, determining that the browser module can initiate a browser function related to the element that was selected.
 - 34. (Original) The method of Claim 31, wherein the browser function comprises one of:
 - (a) sorting elements of the Web view page;
 - (b) filtering elements of the Web view page;
- (c) replacing the Web view page with a new Web view page related to the element selected by the user; and
 - (d) replacing the Web view page with a file directory view of stored data.
- 35. (Currently Amended) A machine readable medium storing machine instructions for selectively opening a dialog box in an application program; and displaying a Web view page within the dialog box of the application program to enable a user to selectively execute a function from within the dialog box by selecting an element on the Web view page, wherein the Web view page integrates a browser capability into the application program to enable a user to produce customized functions and displays for file management of one or more files in a directory structure within the dialog box of the application program, without having to enable access to one of a different application program and a browser program.

2

4

5

- 36. (Currently Amended) A machine readable medium storing machine instructions for generating a Web view page for display within a dialog box of an application program in response to a request for opening the Web view page in the dialog box, wherein the Web view page integrates a browser capability into the application program to enable a user to produce customized functions and displays for file management of one or more files in a directory structure within the dialog box of the application program, without having to enable access to one of a different application program and a browser program.
- 37. (Currently Amended) A system for displaying a Web view page within a dialog box of an application program, comprising:
 - (a) a processor;
 - (b) a display in communication with the processor;
 - (c) a user input device in communication with the processor;
- (d) a memory in communication with the processor, said memory storing machine instructions and data defining a Web view page; and
- (e) said machine instructions comprising an application program that when executed by the processor, causes it to perform a plurality of functions, including:
- displaying a dialog box on the display, as part of execution of the application program;
 - (ii) retrieving the Web view page from the memory; and
- (iii) displaying the Web view page within the dialog box, on the display, wherein the Web view page integrates a browser capability into the application program to enable a user to produce customized functions and displays for file management of one or more files in a directory structure within the dialog box of the application program, without having to enable access to one of a different application program and a browser program.

-9-

Telephone: (425) 688-8816 Fax: (425) 646-6314

- 38. (Original) The system of Claim 37, wherein the machine instructions further cause the processor to:
- (a) detect a user selection of an element of the Web view page with the user input device:
- (b) determine whether a function indicated by the element of the Web view page that was selected corresponds to a function of the application program; and if so,
- (c) perform the function of the application program and otherwise, perform a browser function indicated by the element that was selected.
 - 39. (Original) The system of Claim 37, wherein the machine instructions further cause the processor to:
- (a) determine whether a remote computing resource supports a Web view page in the application program dialog box; and if so,
- (b) access machine instructions stored in the memory that execute a browser module, to enable browser functions from within the application dialog box.
- 40. (Original) The system of Claim 39, wherein the data defining the Web view page is obtained from the remote computing device and stored in the memory.
- 41. (Original) The system of Claim 37, wherein the machine instructions further cause the processor to:
- (a) enable a user to selectively activate display of a Web view page within the dialog box of the application program;
- (b) enable a user to select an element of the Web view page upon which an application program function is to be implemented, to initiate execution of said function; and
 - (c) execute the application program function with the application program.
- 42. (Original) The system of Claim 37, wherein the machine instructions further cause the processor to:
- (a) enable a user to selectively activate display of a Web view page within the dialog box of the application program;
- (b) enable a user to select an element of the Web view page upon which a browser function is to be implemented, to initiate execution of said function; and
 - (c) execute the browser function with the browser module.